



# GRAVITY TANK TRAILERS



E X P E R I E N C E   E X C E L L E N C E

# GRAVITY FED AIR OPERATED

## Application

Engineered for durability in rough terrain, this approximately 9,400lb trailer is gravity fed, air operated, and fully vented with no internal pressure. With 850 cubic feet of capacity, it's built for efficient, reliable performance in demanding environments.

## Specifications

### Vessel

- HD Construction, Clean Bore with External Reinforcements
- One Compartment, 850 ft<sup>3</sup>
- Gravity Discharge with up to 20" Ground Clearance
- Tare Weight Approximately 9400lb.
- Two Air Operated Weather Caps
- 16x16 Knife Gate, Air Operated with Dual Controls

### Lights

- Gromet Mounted LED Lights, Two Discharge Work Lights with Dual Controls
- Spring Mounted Rear Light Boxes

### Chassis

- INTRAAX® HD Air Ride AA300 Tandem Axle Suspension
- HXL5® Wheel End with Duralite Steel Hubs and Meritor X30 Brake Drums
- JOST 5-Year No Lube Landing Legs HD Fore and Aft Bracing
- Meritor Anti-Lock Brakes with Roll Stability

### Accessories

- Rear Ladder with Continuous Grab Handles, Wide Bumper Step
- Aluminum Fender, HD Transverse Steel Pipe Mounted



## Features



Clean Bore Interior



16in Knife Gate Valve



HD Bracing for Drop and Hook



Operator Control Panel



Remote Operated Manways



Void Access Security



# GRAVITY FED MANUAL UNLOADING

## Application

Designed for standard operating conditions, this approximately 9,200lb gravity-fed trailer features manual unloading and a larger 1,110 cubic feet capacity. Built lighter for everyday use, it delivers efficient, dependable performance without compromising durability.

## Specifications

### Vessel

- One Compartment, 1110 ft<sup>3</sup>
- Gravity Discharge with up to 20" Ground Clearance
- Tare Weight Approximately 9200lbs.
- Two Air Operated Weather Caps
- 12" Manual Butterfly Valve

### Lights

- Gromet Mounted LED Lights, Two Discharge Work Lights with Dual Controls
- Spring Mounted Rear Light Boxes (Optional)

### Chassis

- INTRAAX® AANT 230 - TP Spindle Tandem Axle Suspension
- HXL5® Chevron-Delo Semi-Fluid Grease with Solid Hubcaps
- JOST 5-Year No Lube Landing Legs HD Fore and Aft Bracing
- Meritor Anti-Lock Brakes with Roll Stability

### Accessories

- Rear Ladder Steps for Added Safety with Continuous Grab Handles, Bumper Step
- Aluminum Rolled Edge Fender



## Features



Control Box



Front Vent



HD Bracing for Drop and Hook



Weather Cap



12in Butterfly Valve



Trailer Overview

**MAC Trailer Enterprises, Inc.**

Alliance, Ohio

**MAC Trailer Manufacturing, Inc.**

Alliance, Ohio

**MAC Waste Trailer, Inc.**

Alliance, Ohio

**MAC Manufacturing, Inc.**

Salem, Ohio

**MAC Trailer Texas**

Haslet, Texas

**MAC Trailer Oklahoma**

Davis, Oklahoma

**MAC Trailer Aftermarket Parts, Inc.**

Alliance, Ohio

**MAC Trailer Sales Inc.**

(Used Trailer Sales)

Alliance, Ohio

**MAC Service Inc.**

Alliance, Ohio



Follow Us!



Scan Code to



Visit our website

**MAC Trailer**

[WWW.MACTRAILER.COM](http://WWW.MACTRAILER.COM)

**MAC TRAILER ENTERPRISES**

14599 Commerce St. NE  
Alliance, Ohio 44601  
(330) 823-9900

**AFTERMARKET PARTS**

12241 Rockhill Ave. NE  
Alliance, Ohio 44601  
(330) 823-6885

**MAC TRAILER SERVICE**

14504 Commerce St. NE  
Alliance, Ohio 44601  
(330) 823-9190