



GRAVITY TANK TRAILERS



E X P E R I E N C E E X C E L L E N C E

GRAVITY FED AIR OPERATED

Application

Engineered for durability in rough terrain, this approximately 9,400lb trailer is gravity fed, air operated, and fully vented with no internal pressure. With 850 cubic feet of capacity, it's built for efficient, reliable performance in demanding environments.

Specifications

Vessel

- HD Construction, Clean Bore with External Reinforcements
- One Compartment, 850 ft³
- Gravity Discharge with up to 20" Ground Clearance
- Tare Weight Approximately 9400lb.
- Two Air Operated Weather Caps
- 16x16 Knife Gate, Air Operated with Dual Controls

Lights

- Gromet Mounted LED Lights, Two Discharge Work Lights with Dual Controls
- Spring Mounted Rear Light Boxes

Chassis

- INTRAAX® HD Air Ride AA300 Tandem Axle Suspension
- HXL5® Wheel End with Duralite Steel Hubs and Meritor X30 Brake Drums
- JOST 5-Year No Lube Landing Legs HD Fore and Aft Bracing
- Meritor Anti-Lock Brakes with Roll Stability

Accessories

- Rear Ladder with Continuous Grab Handles, Wide Bumper Step
- Aluminum Fender, HD Transverse Steel Pipe Mounted



Features



Clean Bore Interior



16in Knife Gate Valve



HD Bracing for Drop and Hook



Operator Control Panel



Remote Operated Manways



Void Access Security

GRAVITY FED MANUAL UNLOADING

Application

Designed for standard operating conditions, this 9,200lb gravity-fed trailer features manual unloading and a larger 1,110 cubic feet capacity. Built lighter for everyday use, it delivers efficient, dependable performance without compromising durability.

Specifications

Vessel

- One Compartment, 1110 ft³
- Gravity Discharge with up to 20" Ground Clearance
- Tare Weight Approximately 9200lbs.
- Two Air Operated Weather Caps
- 12" Manual Butterfly Valve

Lights

- Gromet Mounted LED Lights, Two Discharge Work Lights with Dual Controls
- Spring Mounted Rear Light Boxes (Optional)

Chassis

- INTRAAX® AANT 230 - TP Spindle Tandem Axle Suspension
- HXL5® Chevron-Delo Semi-Fluid Grease with Solid Hubcaps
- JOST 5-Year No Lube Landing Legs HD Fore and Aft Bracing
- Meritor Anti-Lock Brakes with Roll Stability

Accessories

- Rear Ladder Steps for Added Safety with Continuous Grab Handles, Bumper Step
- Aluminum Rolled Edge Fender



Features



Control Box



Front Vent



HD Bracing for Drop and Hook



Weather Cap



12in Butterfly Valve



Trailer Overview

MAC Trailer Enterprises, Inc.

Alliance, Ohio

MAC Trailer Manufacturing, Inc.

Alliance, Ohio

MAC Waste Trailer, Inc.

Alliance, Ohio

MAC Manufacturing, Inc.

Salem, Ohio

MAC Trailer Texas

Haslet, Texas

MAC Trailer Oklahoma

Davis, Oklahoma

MAC Trailer Aftermarket Parts, Inc.

Alliance, Ohio

MAC Trailer Sales Inc.

(Used Trailer Sales)

Alliance, Ohio

MAC Service Inc.

Alliance, Ohio



Follow Us!



Scan Code to



Visit our website

MAC Trailer

WWW.MACTRAILER.COM

MAC TRAILER ENTERPRISES

14599 Commerce St. NE
Alliance, Ohio 44601
(330) 823-9900

AFTERMARKET PARTS

12241 Rockhill Ave. NE
Alliance, Ohio 44601
(330) 823-6885

MAC TRAILER SERVICE

14504 Commerce St. NE
Alliance, Ohio 44601
(330) 823-9190