



GRAVITY TANK TRAILERS



E X P E R I E N C E E X C E L L E N C E

GRAVITY FED AIR OPERATED

Application

Engineered for durability in rough terrain, this approximately 9,400lb trailer is gravity fed, air operated, and fully vented with no internal pressure. With 850 cubic feet of capacity, it's built for efficient, reliable performance in demanding environments.



Specifications

Vessel

- HD Construction, Clean Bore with External Reinforcements
- One Compartment, 850 ft³
- Gravity Discharge with up to 20" Ground Clearance
- Tare Weight Approximately 9400lb.
- Two Air Operated Weather Caps
- 16x16 Knife Gate, Air Operated with Dual Controls

Lights

- Gromet Mounted LED Lights, Two Discharge Work Lights with Dual Controls
- Spring Mounted Rear Light Boxes

Chassis

- INTRAAK® HD Air Ride AA300 Tandem Axle Suspension
- HXL5® Wheel End with Duralite Steel Hubs and Meritor X30 Brake Drums
- JOST 5-Year No Lube Landing Legs HD Fore and Aft Bracing
- Meritor Anti-Lock Brakes with Roll Stability

Accessories

- Rear Ladder with Continuous Grab Handles, Wide Bumper Step
- Aluminum Fender, HD Transverse Steel Pipe Mounted

Features



Clean Bore Interior



16in Knife Gate Valve



HD Bracing for Drop and Hook



Operator Control Panel



Remote Operated Manways



Void Access Security

GRAVITY FED MANUAL UNLOADING

Application

Designed for standard operating conditions, this approximately 9,200lb gravity-fed trailer features manual unloading and a larger 1,110 cubic feet capacity. Built lighter for everyday use, it delivers efficient, dependable performance without compromising durability.



Specifications

Vessel

- One Compartment, 1110 ft³
- Gravity Discharge with up to 20" Ground Clearance
- Tare Weight Approximately 9200lbs.
- Two Air Operated Weather Caps
- 12" Manual Butterfly Valve

Lights

- Gromet Mounted LED Lights, Two Discharge Work Lights with Dual Controls
- Spring Mounted Rear Light Boxes (Optional)

Chassis

- INTRAX® AANT 230 - TP Spindle Tandem Axle Suspension
- HXL5® Chevron-Delo Semi-Fluid Grease with Solid Hubcaps
- JOST 5-Year No Lube Landing Legs HD Fore and Aft Bracing
- Meritor Anti-Lock Brakes with Roll Stability

Accessories

- Rear Ladder Steps for Added Safety with Continuous Grab Handles, Bumper Step
- Aluminum Rolled Edge Fender

Features



Control Box



Front Vent



HD Bracing for Drop and Hook



Weather Cap



12in Butterfly Valve



Trailer Overview



OHIO

📍 14599 Commerce St.
Alliance, Ohio 44601
Aluminum and Steel Dumps

OHIO

📍 2360 W. Main St.
Alliance, Ohio 44601
Half Rounds | Transfers

OHIO

📍 1453 Allen Rd.
Salem, Ohio 44460
Flatbeds | Pneumatic Tanks

OHIO

📍 1400 Fairchild Ave.
Kent, Ohio 44240
Liquid Tanks

MICHIGAN

📍 1799 Gover Parkway
Mount Pleasant, Michigan 48858
Liquid Tanks

OKLAHOMA

📍 8304 McKee Industrial Rd.
Davis, Oklahoma 73030
Flatbeds | Aluminum Dumps

TEXAS

📍 5810 E. State Highway 114
Haslet, Texas 76052
Pneumatic and Liquid Tanks | Bottom Dumps

MONTANA

📍 1430 Old U.S. 87
Billings, Montana 59101
Pneumatic and Liquid Tanks

Follow Us!



Scan Code to



Visit our website

MACTrailer

WWW.MACTRAILER.COM

MAC TRAILER ENTERPRISES
14599 Commerce St. NE
Alliance, Ohio 44601
(330) 823-9900

AFTERMARKET PARTS
12241 Rockhill Ave. NE
Alliance, Ohio 44601
(330) 823-6885

MAC TRAILER SERVICE
14504 Commerce St. NE
Alliance, Ohio 44601
(330) 823-9190